SOLVENT RECYCLING SAVES MONEY!



Licensing, ever-increasing waste disposal costs and environmental pressures have seen an upturn in the use of solvent recyclers. The solvent recycler, by a process of distillation, turns contaminated solvents into clean, re-usable solvent. You save money all the way!



SOLVENT RECYCLER

IST-22 25 litres IST-42 42 litres IST-62 62 litres

Technical Information			
	IST-22	IST-42	IST-62
Electrical 230V 1 phase 50Hz	2.5kw	3.2kw	
Electrical; 400V 3 phase 50Hz			4.5kw
Operating Temperature; 50 -190°C			
Height (mm);	1100	1200	1200
Width (mm);	650	650	650
Depth (mm)	950	950	950
Weight (kg);	85	115	134
Capacity (litres);	25	42	62



Features

- Fully automatic working cycle based on solvent vapour temperature, timed cycle or a combination of both.
- · Manufactured to EExd explosion proof rules.
- Digital display panel with touch screen operation, diagnostics and alarm functions.
- Up to 9 set points can be programmed for different solvents.
- · Stainless steel tank.
- Removal of residual product by pivoting the tank or waste disposal bag.
- · Air cooled condenser.
- · Automatic loading option available.
- · Cycle time; 4 to 6 hours.

